

# **STAR TRAC® 8 SERIES**

The Star Trac 8 Series line was built to give you the quality and performance you expect from high-end machines with user-focused features like dual personal fans, a hot bar with heart rate monitoring and Soft Trac<sup>®</sup> technology. For a premium experience pair any 8 Series machine with the OpenHub console which provides entertainment, fitness tracking and asset management solutions that will offer a complete fitness experience to facility owners and their members.



#### MANAGEMENT SOLUTIONS

ECOFIT<sup>®</sup> asset management solutions let you see beyond the basics of which machines are most used – you'll get insights that show you if you should rotate machine placements to improve maintenance scheduling, identify and plan preventative maintenance to ensure equipment is available to members and much more.



## 15" OPENHUB CONSOLE

The 15" embedded touchscreen display adds a premium look and experience to the already-great Star Trac cardio line. The new embedded console offers Star Trac 20 HIIT Programming, RunTV and web-based media access for news, entertainment and workout motivation. With features like HDMI streaming, Bluetooth connectivity and TV tuner options.

#### corehealthandfitness.com





#### 8-TRX TREADMILL

	BASE FEATURES
DECK SYSTEM	Reversible MDF deck with phenolic coating
RUNNING BELT SYSTEM	22in (55cm) wide belt
SIZE OF RUNNING SURFACE	60in x 22in (152cm x 55cm)
ABSORPTION SYSTEM	Triple cell cushioning system provides maximum shock absorption making the entire deck a sweet spot
STEP UP HEIGHT	10in (25cm)
INCLINE RANGE	0-20% max incline
SPEED RANGE	0.5-15mph (0.5-24kmh)
HEART RATE MEASUREMENT SYSTEM	Telemetry and contact HR, Bluetooth w/19" display option
CENTER CONTROLS BAR	Easily accessible Hot Bar® is located closer to the user with one-finger speed and elevation controls, integrated stop button and contact heart rate grips
DISPLAY	Choose from LCD, 10" or 19" OpenHub display options
USER DETECT SYSTEM	Yes, programmable on/off
ACCESSORIES	Multiple bottle and accessory holders, LCD and 10" displays pre-wired for 8 Series PVS entertainment, 800/900MHz receivers, and tablet holder
MAX USER WEIGHT	500lb (227kg)
DRIVE SYSTEM	5 HP AC motor
ELECTRICAL REQUIREMENTS	110V/20 Amp dedicated circuit with NEMA 5-20 outlet; or 220V/15 Amp dedicated circuit with NEMA 6-15 outlet
ADDITIONAL FEATURES	3.5in rollers
	FRAME
MATERIAL	Powder Coated Aluminum Frame
CUSTOMIZABLE	Paint color options approval required
STANDARD COLOR OPTIONS	Star Trac Silver
LENGTH	85in (215cm)
WIDTH	36in (91cm)
HEIGHT	63in (160cm)
PRODUCT WEIGHT	388lbs (176kg)
SHIPPING DIMENSIONS	86in x 39in x 31in (218cm x 98cm x 80cm)
SHIPPING WEIGHT	470lbs (213kg)

9-4080-4CT-10IN-60BLK, 9-9252-8TRX-220UL-19-ISDB-DMB-PAL, 9-9254-8TRX-220CE-19-ISDB-DMB-PAL, 9-9252-8TRX-220UL-19-ATSC, 9-9251-8TRX-110-LCDQ, 9-9251-8TRX-110-LCDQ-KM, 9-9254-8TRX-220CE-LCDQ-KM, 9-9254-8TRX-220CE-LCDQ-MI, 9-9252-8TRX-220UL-LCDQ, 9-9252-8TRX-220UL-LCDQ-KM, 9-9251-8TRX-110-10, 9-9254-8TRX-220CE-10





## 8-TR TREADMILL

	BASE FEATURES	
DECK SYSTEM	Reversible MDF deck with phenolic coating	
RUNNING BELT SYSTEM	22in (55cm) wide belt	
SIZE OF RUNNING SURFACE	60in x 22in (152cm x 55cm)	
ABSORPTION SYSTEM	Triple cell cushioning system provides maximum shock absorption making the entire deck a sweet spot	
STEP UP HEIGHT	10in (25cm)	
INCLINE RANGE	0-15% max incline	
SPEED RANGE	0.5-12.5mph (0.5-20kmh)	
HEART RATE MEASUREMENT SYSTEM	Telemetry and contact HR, Bluetooth w/19" display option	
CENTER CONTROLS BAR	Warm bar with contact HR and Emergency Stop	
DISPLAY	Choose from LCD, 10" or 19" OpenHub display options	
USER DETECT SYSTEM	Yes, programmable on/off	
ACCESSORIES	Multiple bottle and accessory holders, LCD and 10" displays pre-wired for 8 Series PVS entertainment, 800/900MHz receivers, and tablet holder	
MAX USER WEIGHT	500lb (227kg)	
DRIVE SYSTEM	5 HP AC motor	
ELECTRICAL REQUIREMENTS	110V/20 Amp dedicated circuit with NEMA 5-20 outlet; or 220V/15 Amp dedicated circuit with NEMA 6-15 outlet	
ADDITIONAL FEATURES	3.5in rollers	
	FRAME	
MATERIAL	Powder Coated Steel Frame	
CUSTOMIZABLE	Paint color options approval required	
STANDARD COLOR OPTIONS	Star Trac Silver	
LENGTH	81in (206cm)	
WIDTH	32in (81cm)	
HEIGHT	63in (160cm)	
NET WEIGHT	425lb (193kg)	
SHIPPING DIMENSIONS	84in x 36in x 31in (214cm x 90cm x 80cm)	
SHIPPING WEIGHT	499lbs (227kg)	
	ADDITIONAL SKUS	

9-9191-8TR-110-LCD, 9-9194-8TR-220CE-LCD, 9-9192-8TR-220UL-LCD, 9-9191-8TR-110-10, 9-9191-8TR-220CE-10, 9-9191-8TR-110-19-ATSC, 9-9192-8TR-220UL-19-ISDB-DMB-PAL, 9-9194-8TR-220CE-19-ISDB-DMB-PAL, 9-9194-8TR-220CE-19-ISDB-DMB-PAL





## **8-UB UPRIGHT BIKE**

BASE FEATURES		
HEART RATE MEASUREMENT SYSTEM	Telemetry and contact HR (Bluetooth with embedded display)	
CONTROLS	Console	
BOTTOM BRACKET	Morse Taper	
PEDALS	One-sided, self-leveling platform with removable ratcheting strap and morse taper mounting	
SEAT ADJUSTMENT	Easy up ratcheting seat for ease of use	
DISPLAY	Choose from LCD, 10" or 15" OpenHub display options	
ACCESSORIES	Multiple bottle and accessory holders, LCD and 10" displays pre-wired for 8 Series PVS entertainment, 800/900MHz receivers, and tablet holder	
MAX USER WEIGHT	350lb (159kg)	
DRIVE SYSTEM	Alternator	
ELECTRICAL REQUIREMENTS	LCD is self- generating: touch screen and PVS options require 12V/5 Amp power supply	
START UP WATTS	20	
ADDITIONAL FEATURES	Elbow pads support multiple riding positions in comfort	
	FRAME	
MATERIAL	Powder Coated Steel Frame	
CUSTOMIZABLE	Paint color options approval required	
STANDARD COLOR OPTIONS	Star Trac Silver	
LENGTH	46in (117cm)	
WIDTH	23in (58cm)	
HEIGHT	63in (160cm)	
PRODUCT WEIGHT	141lbs (64kg)	
SHIPPING DIMENSIONS	48in x 22in x 34in (122cm x 57cm x 86cm)	
SHIPPING WEIGHT	157lbs (71kg)	
ADDITIONAL SKUS		

9-8140-8UB-LCD

9-8140-8UB-10

9-8140-8UB-2019-15-ISDB-DMB-PAL

9-8140-8UB-2019-15-ATSC





### **8-RB RECUMBENT BIKE**

BASE FEATURES		
HEART RATE MEASUREMENT SYSTEM	Telemetry and contact HR (Bluetooth with embedded display)	
CONTROLS	Console- OpenHub	
BOTTOM BRACKET	Morse Taper	
PEDALS	One-sided, self-leveling platform with removable ratcheting strap and morse taper mounting	
SEAT ADJUSTMENT	Wrap around adjustment bar for ease of use	
DISPLAY	Choose from LCD, 10" or 15" OpenHub display options	
ACCESSORIES	Multiple bottle and accessory holders, LCD and 10" displays pre-wired for 8 Series PVS entertainment, 800/900MHz receivers, and tablet holder, USB port	
MAX USER WEIGHT	350lb (159kg)	
DRIVE SYSTEM	Alternator	
ELECTRICAL REQUIREMENTS	LCD is self- generating: touch screen and PVS options require 12V/5 Amp power supply	
START UP WATTS	20	
ADDITIONAL FEATURES	Walk-thru design; mesh-back contoured seat for increased airflow and comfort; fold-down armrests alleviate shoulder tension and allow for a more relaxed posture	
	FRAME	
MATERIAL	Powder Coated Steel Frame	
CUSTOMIZABLE	Paint color options approval required	
STANDARD COLOR OPTIONS	Star Trac Silver	
LENGTH	65in (164cm)	
WIDTH	28in (71cm)	
HEIGHT	60in (151cm)	
PRODUCT WEIGHT	185lbs (84kg)	
SHIPPING DIMENSIONS	75in x 22in x 33in (191cm x 57cm x 84cm)	
SHIPPING WEIGHT	208lbs (95kg)	
ADDITIONAL SKUS		

9-8150-8RB-LCD

9-8150-8Rb-10

9-8150-8RB-2019-15-ISDB-DMB-PAL

9-8150-8RB-2019-15-ATSC





#### **8-TH TRAILHIKER**

BASE FEATURES		
DECK SYSTEM	Dual ramping, reversible MDF decks with phenolic coating	
RUNNING BELT SYSTEM	9in (23cm) wide belt x 2	
SIZE OF RUNNING SURFACE	52in x 9in (132cm x 23cm) x 2	
ABSORPTION SYSTEM	Triple cell cushioning system provides maximum shock absorption making the entire deck a sweet spot	
STEP UP HEIGHT	12in (31cm)	
INCLINE RANGE	0-15% max incline	
SPEED RANGE	0.5-6mph (0.5-9.5kmh)	
HEART RATE MEASUREMENT SYSTEM	Telemetry and contact HR	
CENTER CONTROLS BAR	Easily accessible Hot Bar® is located closer to the user with one-finger speed and elevation controls, integrated stop button and contact heart rate grips	
DISPLAY	LCD	
ACCESSORIES	Multiple bottle and accessory holders, pre-wired for 8 Series PVS entertainment, 800/900MHz receivers, and tablet holder	
MAX USER WEIGHT	350lb (227kg)	
DRIVE SYSTEM	5 HP AC motor	
ELECTRICAL REQUIREMENTS	110V/20 Amp dedicated circuit with NEMA 5-20 outlet; or 220V/15 Amp dedicated circuit with NEMA 6-15 outlet	
ADDITIONAL FEATURES	3.5in rollers	
	FRAME	
MATERIAL	Powder Coated Aluminum Frame	
CUSTOMIZABLE	Paint color options approval required	
STANDARD COLOR OPTIONS	Star Trac Silver	
LENGTH	83in (211cm)	
WIDTH	36in (91cm)	
HEIGHT	83in (211cm)	
PRODUCT WEIGHT	628lbs (285kg)	
SHIPPING DIMENSIONS	84in x 39in x 35in (214cm x 99cm x 88cm)	
SHIPPING WEIGHT	705lbs (320kg)	
	ADDITIONAL SKUS	
9-9261-8TH-110-LCD		

9-9262-8TH-220UL-LCD

9-9264-8TH-220CE-LCD





## **8-VS VERSASTRIDER**

BASE FEATURES			
STEP UP HEIGHT	11in (28cm)		
STRIDE TYPE	Dynamic Variable		
STRIDE LENGTH	10-32"		
HEART RATE MEASUREMENT SYSTEM	Telemetry and contact HR (Bluetooth with embedded display)		
MOVEMENT ARMS	Converging movement arms with multiple hand grip options		
CONTROLS	Integrated into movement arms		
DISPLAY	Choose from LCD, 10" or 15" OpenHub display options		
ACCESSORIES	Multiple bottle and accessory holders, LCD and 10" displays pre-wired for 8 Series PVS entertainment, 800/900MHz receivers, and tablet holder		
MAX USER WEIGHT	400lb (181kg)		
DRIVE	Front Drive		
RESISTANCE SYSTEM	Alternator		
ELECTRICAL REQUIREMENTS	LCD is self-generating; touch screen and PVS options require 12V/5 Amp power supply		
START UP WATTS	20		
ADDITIONAL FEATURES	Rear courtesy step		
	FRAME		
MATERIAL	Powder Coated Steel Frame		
CUSTOMIZABLE	Paint color options approval required		
STANDARD COLOR OPTIONS	Star Trac Silver		
LENGTH	89in (226cm)		
WIDTH	35in (89cm)		
HEIGHT	69in (175cm)		
PRODUCT WEIGHT	586lbs (266kg)		
SHIPPING DIMENSIONS	89in x 35in x 49in (226cm x 90cm x 125cm)		
SHIPPING WEIGHT	694lbs (315kg)		
ADDITIONAL SKUS			

9-6160-8VS-LCD

9-6160-8VS-2019-15-ISDB-PAL

9-6160-8VS-2019-15-ATSC

9-6160-8VS-10





## 8-RDE REAR DRIVE ELLIPTICAL

BASE FEATURES		
STEP UP HEIGHT	11in (28cm)	
STRIDE TYPE	Fixed	
STRIDE LENGTH	18in (48cm)	
HEART RATE MEASUREMENT SYSTEM	Telemetry and contact HR (Bluetooth with embedded display)	
MOVEMENT ARMS	Multiple hand grip options	
CONTROLS	On Display	
DISPLAY	Choose from LCD, 10" or 15" OpenHub display options	
ACCESSORIES	Multiple bottle and accessory holders, LCD and 10" displays pre-wired for 8 Series PVS entertainment, 800/900MHz receivers, and tablet holder	
MAX USER WEIGHT	400lb (181kg)	
DRIVE	Rear drive	
RESISTANCE SYSTEM	Alternator	
ELECTRICAL REQUIREMENTS	LCD is self-generating; touch screen and PVS options require 12V/5 Amp power supply	
START UP WATTS	20	
ADDITIONAL FEATURES	Articulating pedals	
	FRAME	
MATERIAL	Powder Coated Steel Frame	
CUSTOMIZABLE	Paint color options approval required	
STANDARD COLOR OPTIONS	Star Trac Silver	
LENGTH	86in (219cm)	
WIDTH	36in (91cm)	
HEIGHT	73in (185cm)	
PRODUCT WEIGHT	300lbs (136kg)	
SHIPPING DIMENSIONS	84in x 30in x 48in (213cm x 75cm x 122cm)	
SHIPPING WEIGHT	379lbs (172kg)	
	ADDITIONAL SKUS	

9-6150-8RDE-LCD

9-6150-8RDE-2019-15-ISDB-DMB-PAL

9-6150-8RDE-2019-15-ATSC

9-6150-8RDE-10





## **8-CT CROSS TRAINER**

BASE FEATURES		
STEP UP HEIGHT	11in (28cm)	
STRIDE TYPE	Fixed	
STRIDE LENGTH	18in (48cm)	
HEART RATE MEASUREMENT SYSTEM	Telemetry and contact HR (Bluetooth with embedded display)	
MOVEMENT ARMS	Standard upright design	
CONTROLS	On Display- Openhub	
DISPLAY	Choose from LCD, 10" or 15" OpenHub display options	
ACCESSORIES	Multiple bottle and accessory holders: LCD and 10" displays pre-wired for 8 Series PVS entertainment, 800/900MHz receivers, and tablet holder	
MAX USER WEIGHT	400lbs (181 kg)	
DRIVE	Front drive	
RESISTANCE SYSTEM	Alternator	
ELECTRICAL REQUIREMENTS	LCD is self-generating; touch screen and PVS options require 12V/5 Amp power supply	
START UP WATTS	20	
ADDITIONAL FEATURES	Rear courtesy step	
	FRAME	
MATERIAL	Powder Coated Steel Frame	
CUSTOMIZABLE	Paint color options approval required	
STANDARD COLOR OPTIONS	Star Trac Silver	
LENGTH	76in (193 cm)	
WIDTH	30in (76 cm)	
HEIGHT	72in (182 cm)	
	337lbs (153kg)	
SHIPPING DIMENSIONS	79in x 30in x 50in (201cm x 75cm x 128cm)	
SHIPPING WEIGHT	423lbs (192kg)	
ADDITIONAL SKUS		

9-6140-8CT-LCD

9-6140-8CT-2019-15-ISDB-DMB-PAL

9-6140-8CT-2019-15-ATSC

9-6140-8CT-10









#### **CONSOLES**

		IOOLLO	
DISPLAY	15" Star Trac	8 Series 10"	LCD
DISPLAY TYPE	Capacitive Touchscreen	Resistive Touchscreen	Static LCD
MULTI-LANGUAGE OPTIONS	English, German, Spanish, Dutch, Portu- guese, French, Italian, Swedish, Russian, Finnish, Danish, Chinese, Japanese, Turkish, Polish, Russian, Hebrew, Czech, Slovak	English, German, Spanish, Dutch, Portu- guese, French, Swedish	English, German, Spanish, Dutch, Portuguese, French, Italian, Swedish, Katakana, Russian, Finnish
PRE-PROGRAMMABLE WORK OUTS	Yes, 20+	Yes, 11+	Yes, 14+
QUICK START OPTIONS	Yes, single button start options	Yes, single button start options	Yes, single button start options
TV TUNER ENABLED	Yes (Global TV tuner options)	No	No
ETHERNET AND WIFI ENABLED	Yes	No	No
BLUETOOTH DATA TRACKING/ APP CONNECTIVITY	Yes	Yes	Yes
BLUETOOTH HEADPHONES	Yes	No	No
BLUETOOTH HEART RATE	Yes	No	No
APPLE GYMKIT	Yes	No	Yes
RUNTV INTEGRATED WORKOUT VIDEOS	Yes	No	No
INTEGRATED WEB-BASED APPS	Yes	No	No
CUSTOMIZABLE HOME SCREEN	Yes	No	No
HDMI STREAMING	Yes; cables not included	Yes, HDMI streaming available with PVS option; cables not included	Yes, HDMI streaming available with PVS option; cables not included
USB	USB port for software updates and device charging; cables not included	USB port for software updates and device charging; cables not included	USB port for software updates and device charging; cables not included
RFID	Optional	No	No
IPTV/SET TOP BOX COMPATIBLE	Yes, add-on accessories required	Yes, with PVS	Yes, with PVS, add-on accessories required
ANT+ FOR GROUP DISPLAY	Yes	Yes	Yes
PERSONAL FAN	Yes, programmable auto start	Yes, programmable auto start	Yes, programmable auto start
ASSET MANAGEMENT	Ecofit Optional	Ecofit Optional	Ecofit Optional
TABLET HOLDER	Integrated front	Integrated front, optional top add-on	Integrated front, optional top add-on
PVS	No	Optional	Optional
800/900 MHZ RECEIVER	No	Optional	Optional





#### **CONSOLES**

DISPLAY	LCD	19" Star Trac	
DISPLAY TYPE	Static LCD	Capacitive Touchscreen	
MULTI-LANGUAGE OPTIONS	English, German, Spanish, Dutch, Portuguese, French, Italian, Swedish, Katakana, Russian, Finnish	English, German, Spanish, Dutch, Portuguese, French, Italian, Swedish, Russian, Finnish, Danish, Chinese, Japanese, Turkish, Polish, Russian, Hebrew, Czech, Slovak	
PRE-PROGRAMMABLE WORK OUTS	Yes, 14+	Yes, 23+	
QUICK START OPTIONS	Yes, single button start options	Yes, single button start options	
TV TUNER ENABLED	No	Yes (Global Tuner Options)	
ETHERNET AND WIFI ENABLED	No	Yes	
BLUETOOTH DATA TRACKING/APP CONNECTIVITY	Yes	Yes	
BLUETOOTH HEADPHONES	No	Yes	
BLUETOOTH HEART RATE	No	Yes	
APPLE GYMKIT	Yes	Yes	
RUNTV INTEGRATED WORKOUT VIDEOS	No	Yes	
INTEGRATED WEB-BASED APPS	No	Yes	
CUSTOMIZABLE HOME SCREEN	No	Yes	
HDMI STREAMING	Yes, HDMI streaming available with PVS option; cables not included	Yes; cables not included	
USB	USB port for software updates and device charging; cables not included	USB port for software updates and device charging; cables not included	
RFID	No	Optional	
IPTV/SET TOP BOX COMPATIBLE	Yes, with PVS	Yes, add-on accessories required	
ANT+ FOR GROUP DISPLAY	Yes	Yes	
PERSONAL FAN	Yes, programmable auto start	Yes, programmable auto start	
ASSET MANAGEMENT	Ecofit Optional	Ecofit Optional	
TABLET HOLDER	Integrated front, optional top add-on	Integrated front	
PVS	Optional	No	
800/900 MHZ RECEIVER	Optional	No	





#### **PVS FEATURES**

PVS	10/8/4 Series
DISPLAY TYPE	15.6" HD LED
RESOLUTION	1366 x 768
TUNER OPTIONS	1) ATSC/NTSC/QAM 2) PAL/DVB-T/DVB-C
DIGITAL AND ANALOG SUPPORT	Yes
SIGNAL INPUTS	Coax, HDMI
INPUT RF SIGNAL RANGE	-70 dBm(Min) ~ - 10 dBm(Max)
CLOSE CAPTION	Yes
HEADPHONE JACK	3.5mm on Display

#### SKUS

700-0386-13: SILVER MYE PVS SCREEN, 2016, ATSC/NTSC TUNER w/SILVER TR MOUNT 700-0386-16: BLACK MYE PVS SCREEN, 2016, ATSC/NTSC TUNER w/QS TR MOUNT 700-0386-20: BLACK MYE PVS SCREEN, 2016, ATSC/NTSC TUNER w/SILVER TR MOUNT 700-0387-13: SILVER MYE PVS SCREEN, 2016, PAL TUNER w/SILVER TR MOUNT 700-0387-16: BLACK MYE PVS SCREEN, 2016, PAL TUNER w/QS TR MOUNT 700-0387-20: BLACK MYE PVS SCREEN, 2016, PAL TUNER w/SILVER TR MOUNT 700-0388-13: SILVER MYE PVS SCREEN, 2016, ATSC/NTSC TUNER w/SILVER TH MOUNT 700-0388-16: BLACK MYE PVS SCREEN, 2016, ATSC/NTSC TUNER w/QS TH MOUNT 700-0388-20: BLACK MYE PVS SCREEN, 2016, ATSC/NTSC TUNER w/SILVER TH MOUNT 700-0389-13: SILVER MYE PVS SCREEN, 2016, PAL TUNER w/SILVER TH MOUNT 700-0389-16: BLACK MYE PVS SCREEN, 2016, PAL TUNER w/QS TH MOUNT 700-0389-20: BLACK MYE PVS SCREEN, 2016, PAL TUNER w/SILVER TH MOUNT 700-0390-13: SILVER MYE PVS SCREEN, 2016, ATSC/NTSC TUNER w/SILVER BCG MOUNT 700-0390-16: BLACK MYE PVS SCREEN, 2016, ATSC/NTSC TUNER w/QS BCG MOUNT 700-0390-20: BLACK MYE PVS SCREEN, 2016, ATSC/NTSC TUNER w/SILVER BCG MOUNT 700-0391-13: SILVER MYE PVS SCREEN, 2016, PAL TUNER w/SILVER BCG MOUNT 700-0391-16: BLACK MYE PVS SCREEN, 2016, PAL TUNER w/QS BCG MOUNT 700-0391-20: BLACK MYE PVS SCREEN, 2016, PAL TUNER w/SILVER BCG MOUNT 700-0392-13: SILVER MYE PVS SCREEN, 2016, ATSC/NTSC TUNER w/SILVER FC MOUNT 700-0392-16: BLACK MYE PVS SCREEN, 2016, ATSC/NTSC TUNER w/QS FC MOUNT 700-0392-20: BLACK MYE PVS SCREEN, 2016, ATSC/NTSC TUNER w/SILVER FC MOUNT 700-0393-13: SILVER MYE PVS SCREEN, 2016. PAL TUNER w/SILVER FC MOUNT 700-0393-16: BLACK MYE PVS SCREEN, 2016, PAL TUNER w/QS FC MOUNT 700-0393-20: BLACK MYE PVS SCREEN, 2016, PAL TUNER w/SILVER FC MOUNT 700-0489-20 BLACK PVS. PAL TUNER w/ 4-TR MOUNT 700-0489-74 PVS, PAL TUNER w/ 4-TR MOUNT 700-0490-20 BLACK PVS, ATSC/NTSC TUNER w/ 4-TR MOUNT 700-0490-74 PVS, ATSC/NTSC TUNER w/ 4-TR MOUNT 700-0491-20 BLACK PVS, PAL TUNER w/ 4-CT/UB/RB MOUNT 700-0491-74 PVS, PAL TUNER w/ 4-CT/UB/RB MOUNT 700-0492-20 BLACK PVS, ATSC/NTSC TUNER w/ 4-CT/UB/RB MOUNT 700-0492-74 PVS, ATSC/NTSC TUNER w/ 4-CT/UB/RB MOUNT 700-0496-16: BLACK MYE PVS SCREEN, 2016, ATSC/NTSC TUNER w/QS 10TR MOUNT 700-0500-16: BLACK MYE PVS SCREEN, 2016, PAL TUNER w/QS 10TR MOUNT

Core Health & Fitness is more than gym equipment, we offer innovative solutions for all your facility needs. This is why we've brought together five of the most recognizable fitness brands to ensure our customers can offer their members authentic fitness experiences. Whether working with us directly or through our partners and distributors worldwide, we provide the highest quality equipment backed by a service and support team that will always go the extra mile to get you what you need, when you need it. Partner with us and see how our Core Values motivate our every decision.



©2020 Core Health & Fitness LLC. All rights reserved. Star Trac, the Star Trac logo and StairMaster are registered trademarks of Core Health & Fitness, LLC. Schwinn and Nautilus are registered trademarks of Nautilus Inc. used under license to Core Health & Fitness LLC. Throwdown is a registered trademark of Throwdown Industries, LLC.